

PAUS
...the people who care

Trailer Crane

PTK 31



STRONG. STABLE. DURABLE.
EVERY DAY.

PTK 31

Overview

CONVENIENT

Ergonomic remote control with an integrated analysis display showing all relevant operating data.




MAINTENANCE-FRIENDLY

Wide-opening service hatches provide excellent access to engine components, with very effective sound insulation.

FLEXIBLE

Extendable jib with a hydraulic articulated joint.



SIMPLE


Hydraulic drive system and a lowerable rear axle operated via remote control.

PROTECTED

KTL-treated chassis with powder coating and cavity sealing.

SPACE-SAVING

Retractable drawbar reduces the required setup area.




SAFE

Fully rotatable 360° under full load, even with narrow stabilization.

MOBILE

Extremely versatile with individually foldable and telescoping supports.

Work Diagram



Subject to technical changes.
Dimensions may vary slightly.

1,200-1,600 kg
2,645 - 3,527 lbs.

1,200 kg (2,645 lbs)


350 kg (771 lbs)

Technical Data

Maximum extension length	30.5 m (100 ft)**	Maximum footprint width	4.80 m (15 ft 9 in)**
Arm angle	0° - 173°**	Maximum payload	1,600 kg (3,527 lbs) **
Maximum upright angle (articulated boom)	83°	Transport width	1.96 m (6 ft 5 in) **
Cable velocity	0 - 50 m/ min (164 ft/min)**	Transport height	2.45 m (8 ft) **
Drive	Gasoline	Transport length with drawbar	8.80 m (28 ft 10 in) **
Pivot range	360° endless	Axle load	3,500 kg (7,716 lbs) **
Minimum footprint width	3.30 m (10 ft 10 in)**	Support load	150 kg (330 lbs) **
		Total weight	3,500 kg* (7,716 lbs*)**

*in the basic version

**stats are approximate dimensions



We care

We inspire as a preferred, innovative partner with individual solutions for transport and safety of humans and material.

As a specialist for complete and special solutions Paus offers an extensive range of machines for mining and tunneling, lift technology and construction machinery since 1968.

Paus means „Quality Made in Germany“.

PAUS NORTH AMERICA INC.

29001 Solon Rd. Unit L
 44139 Solon, OH
 USA

sales@paus-na.com
 www.paus-na.com